

### TQTaggable

fTags	fGlobalOverwriteOpNone	kOpAND	kOpCNT
fReadFlags	sGlobalTaggableOpRec	kOpADD	
fGlobalIgnoreCaseAsglsA		kOpOR	kOpMULT
setTag	tagsAreEquivalent	claimTags	replaceInText
setTag	printDiffOfTags	claimTags	replaceInText
findTag	printDiffOfTags	hasTag	replaceInText
getTag	removeTag	hasTagDouble	replaceInStandardString
getOp	removeTags	hasTagInteger	replaceInStandardString
countTagUp	clear	hasTagBool	replaceInStandardString
countTagDown	clearTags	hasTagString	replaceInStandardString
getListOfTags	renameTag	hasMatchingTag	getTag
getListOfTags	sameTags	countMatchingTags	getTag
makeListOfTags	importTag	hasEquivalentTag	getTag
getValidKeyChar	importTags	hasEquivalentTag	getTag
isValidKey	importTags	hasEquivalentTag	getTagDouble
parseFlags	importTags	hasEquivalentTag	getTagInteger
parseParameterList	importTags	hasEquivalentTag	getTagBool
parseKey	importTagWithPrefix	hasEquivalentTag	getTagString
TQTaggable	importTagsWithPrefixOverwrittenByDefault	hasEquivalentTag	operator=
TQTaggable	importTagsWithPrefixTypeDoubt	getTagDefault	operator=
TQTaggable	importTagsWithPrefixTypeInteger	getTagDefault	operator=
TQTaggable	importTagsWithPrefixTypeBool	getTagDefault	operator=
TQTaggable	importTagsWithPrefixTypeString	getTagDefault	operator=
setGlobalIgnoreCase	setTagAuto	hasTagWithIndex	getTagDoubleDefault
getGlobalIgnoreCase	setTag	hasTagWithoutIndex	getTagDefault
setGlobalOverwriteTag		canSetThisTag	getTagBoolDefault
getGlobalOverwriteTag		allTagsValidDoubt	getTagStringDefault
resetReadFlags	setTag	allTagsValidInteger	getTagStandard
hasUnreadKeys	setTag	allTagsValidBool	getTagAsString
getListOfUnreadKeys	setTag	allTagsOfTypeDoubt	getTagAsString
getFlags	setTag	allTagsOfTypeInteger	getValueOfTagAsString
onAccess	setTag	allTagsOfTypeBool	getTag
onRead	setTag	allTagsOfTypeString	CheckTObjectHash
onWrite	setTag	exportTags	IsA
getBaseTaggables	setTagDouble	exportTagsAsString	ShowMembers
getDescendantTagTable	integer	exportTagsAsCobj	StreamerNVirtual
getTaggablesByName	TagBool	exportTagsAsString	Class_Name
getListOfTaggables	TagString	exportTagsAsString	
getNTags	setTagList	replaceInTextReplaceString	
printTags	printClaim	replaceInText	getTagVInteger
getListOfKeys	claimTags	replaceInText	getTagVDouble

### TQSignificanceEvaluator

initialization	m_functionsFOMWithSignalPath	fglsA
isSimpleEvaluation	m_functionsFOMWithBackgroundPath	getSignificance
reader	m_FOMDefinitions	TQSimpleSignificanceEvaluator
scanner	m_bkgHists	CheckTObjectHashConsistency
luminosity	m_signalHists	IsA
luminosityScale	m_multiDimHists	ShowMembers
fileIdentifier	info	StreamerNVirtual
verbose	m_multipleFOMCor	Class_Name
m_regions	fglsA	Class
autoNFs		Streamer
m_functionsFOM		TQSimpleSignificanceEvaluator2
FOMDefinitions	initialize	operator=
regions	exportWorkspace	operator=
isSimple	getSignificance	
multiDimHists	getSignificance2	
bkgHists	addFunctionsFOM	
signalHists	getFOMs	
getLuminosity	signal	
scaleLuminosity	signalAndError	
setFileIdentifier	bkg	
setVerbose	bkgAndError	
setRangeAxis	CheckTObjectHash	
updateHists	IsA	
getReader	ShowMembers	
bookNF	StreamerNVirtual	
addRegion	Class_Name	
hasNativeRegions	SetHandling	
prepareNextRegion	Streamer	
isPrepared	TQSignificanceEvaluator	
evaluate	TQSignificanceEvaluator	
evaluateMultiple	operator=	
TQSignificanceEvaluator		
TQSignificanceEvaluator		

### TNamed

fglsA	fTitle
fName	
Streamer	GetTitle
Hash	IsSortable
TNamed	SetName
TNamed	SetNameTitle
TNamed	SetTitle
TNamed	Is
operator=	Print
~TNamed	Sizeof
Clear	CheckTObjectHashConsistency
Clone	IsA
Compare	ShowMembers
Copy	StreamerNVirtual
FillBuffer	
GetName	